

Safety Data Sheet

according to UK REACH Regulation

LubeLife LowTemp

Revision: 19.08.2024

Product code: 530005066

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LubeLife LowTemp

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricating agent

1.3. Details of the supplier of the safety data sheet

Company name: Schleifring GmbH
 Street: Maisacher Strasse 144
 Place: 82256 Fürstenfeldbruck / Germany
 Telephone: +49-(0)8141 403-0
 E-mail: info@schleifring.de

1.4. Emergency telephone number:

D +49-(0)89 19240
 int. (24-Hour-Number):GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aquatic Chronic 4; H413

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard statements

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statements

P103 Read carefully and follow all instructions.
 P273 Avoid release to the environment.
 P501 Dispose of contents/container to hazardous or special waste collection point.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity
	EC No	Index No
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
161075-00-9	Hexafluoropropene, oxidized, oligomers, reduced, fluorinated	95 - < 100 %
	500-537-5	01-2119970717-25
	Aquatic Chronic 4; H413	

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to UK REACH Regulation

LubeLife LowTemp

Revision: 19.08.2024

Product code: 530005066

Page 2 of 8

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
161075-00-9	500-537-5	Hexafluoropropene, oxidized, oligomers, reduced, fluorinated	95 - < 100 %
		inhalation: LC50 = > 1627 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still.

After contact with skin

Take off contaminated clothing and wash it before reuse.

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing powder

Carbon dioxide (CO2)

Foam

Unsuitable extinguishing media

Water spray jet

Water

5.2. Special hazards arising from the substance or mixture

Section 10

Thermal decomposition can lead to the escape of irritating gases and vapours. Hazardous decomposition products: Carbonyl difluoride, Hydrogen fluoride

Decomposition temperature 260

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Safety Data Sheet

according to UK REACH Regulation

LubeLife LowTemp

Revision: 19.08.2024

Product code: 530005066

Page 3 of 8

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.
Remove all sources of ignition.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**Other information**

Clean contaminated articles and floor according to the environmental legislation.
Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13
Section 10: Stability and Reactivity

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

When using do not eat, drink or smoke.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Further information on handling

After contact with skin, wash immediately with plenty of water and soap.
Advices on general occupational hygiene
Wash contaminated clothing prior to re-use.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep only in the original container in a cool, well-ventilated place.

Further information on storage conditions

0 °C - 40 °C

7.3. Specific end use(s)

Lubricating agent

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Safety Data Sheet

according to UK REACH Regulation

LubeLife LowTemp

Revision: 19.08.2024

Product code: 530005066

Page 4 of 8

DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
161075-00-9	Hexafluoropropene, oxidized, oligomers, reduced, fluorinated		
Worker DNEL, long-term	inhalation	systemic	3088 mg/m ³
Consumer DNEL, long-term	inhalation	systemic	2304 mg/m ³

PNEC values

CAS No	Substance	
Environmental compartment	Value	
161075-00-9	Hexafluoropropene, oxidized, oligomers, reduced, fluorinated	
Freshwater	0,000208 mg/l	
Marine water	0,000021 mg/l	
Freshwater sediment	0,115 mg/kg	
Marine sediment	0,0115 mg/kg	
Secondary poisoning	33 mg/kg	
Soil	0,183 mg/kg	

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: Eye glasses with side protection

Hand protection

Recommended glove articles :EN ISO 374; CAT III

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,4mm

Breakthrough time: >480min

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

When used as intended, no respiratory protection is required

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available

Safety Data Sheet

according to UK REACH Regulation

LubeLife LowTemp

Revision: 19.08.2024

Product code: 530005066

Page 5 of 8

Upper explosion limits:	No data available
Flash point:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH-Value:	No data available
Viscosity / kinematic: (at 20 °C)	< 1,5 mm ² /s
Water solubility:	practically insoluble
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	No data available
Vapour pressure: (at 20 °C)	296 hPa
Density (at 25 °C):	1,68 g/cm ³
Bulk density:	No data available
Relative vapour density:	No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

The product is not: Flammable.

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

Not oxidising.

Other safety characteristics

Evaporation rate:

No data available

Solid content:

No data available

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

Viscosity / dynamic:

No data available

(at 25 °C)

Flow time:

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

The product is chemically stable under recommended conditions of storage, use and temperature.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Alkali metals, Lewis-acid > 100 °C, Powdered metals (Al, Mg) > 180 °C

Safety Data Sheet

according to UK REACH Regulation

LubeLife LowTemp

Revision: 19.08.2024

Product code: 530005066

Page 6 of 8

10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide, Hydrogen fluoride, Carbonyl difluoride

SECTION 11: Toxicological information

11.1. Information on hazard classes

ATEmix tested

	Dose	Species	Source
LD50, oral	> 2000 mg/kg		
LD50, dermal	> 2000 mg/kg		

ATEmix calculated

ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
161075-00-9	Hexafluoropropene, oxidized, oligomers, reduced, fluorinated				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	Rat		
	inhalation (4 h) vapour	LC50 > 1627 mg/l	Rat		

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
161075-00-9	Hexafluoropropene, oxidized, oligomers, reduced, fluorinated	5,58

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

No data available

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

No data available

12.7. Other adverse effects

Safety Data Sheet

according to UK REACH Regulation

LubeLife LowTemp

Revision: 19.08.2024

Product code: 530005066

Page 7 of 8

No data available

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

- Do not allow to enter into surface water or drains.
- Dispose of waste according to "Kreislaufwirtschaftsgesetz (KrWG)".
- Dispose of waste according to applicable legislation.
- The waste key according to the European Waste Catalogue (EWC number) refers to the real wastes origin and therefore is not product- but use-oriented.
- Consult the appropriate local waste disposal expert about waste disposal.

List of Wastes Code - residues/unused products

- 120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

List of Wastes Code - used product

- 120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

List of Wastes Code - contaminated packaging

- 150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

- 14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.
- 14.4. Packing group:** No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

- 14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.
- 14.4. Packing group:** No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

- 14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.
- 14.4. Packing group:** No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

- 14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.
- 14.4. Packing group:** No dangerous good in sense of this transport regulation.

Safety Data Sheet

according to UK REACH Regulation

LubeLife LowTemp

Revision: 19.08.2024

Product code: 530005066

Page 8 of 8

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

Section 7: Handling and Storage

Section 8: Exposure Controls/Personal Protection

14.7. Maritime transport in bulk according to IMO instruments

No information available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to Directive 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 8,11.

Classification for mixtures and used evaluation method

Classification	Classification procedure
Aquatic Chronic 4; H413	Calculation method

Relevant H and EUH statements (number and full text)

H413 May cause long lasting harmful effects to aquatic life.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)